

Oregon Forest Industry Directory

Search resulted in 4 matches.

Conrad Forest Products (North Bend)

68765 Wildwood Drive
North Bend, OR 97459
541-756-2595
www.conradfp.com

Contacts

Darrell Smith, Vice President
68765 Wildwood Drive
North Bend, OR 97459
Phone: 800-356-7146

Jeff Locke, Marketing Representative
4195 Chino Hills Pkwy PMB#422
Chino Hills, CA 91709
Phone: 909-393-7107
Email: *jeff.locke3 at verizon.net*

Products Produced

Plywood, softwood; Lumber; Lumber, kiln-dried; LVL (Laminated Veneer Lumber); Lumber, rough green; Lumber pressure treated; Lattice; Railing/ spindles; Poles; Timbers; Timbers, landscape; Posts

Products Purchased

Lumber, green; Lumber, dry; Plywood, softwood; LVL (laminated veneer lumber)

Equipment

Treating cylinder

Services

Lumberyard; Delivery; Treating

Oakland Wood Products

132 NE First Street
Oakland, OR 97462
541-459-2581
www.oaklandwoodproducts.com

Contacts

Amy Smith

Jane Knowlton

Phone: 541-459-2581

Email: *oaklandwoodproducts at yahoo.com*

Log Buyers

Phone: 541-459-2581

Species Used

Alder, Red; Walnut, black; Cherry; Maple, bigleaf (western); Maple, hard; Myrtlewood, Oregon; Oak, California black; Oak, Oregon white; Oak, red; Madrone, Pacific; Poplar, yellow (tulip); Exotic Hardwood; Douglas-fir; Fir, grand; Pine, ponderosa; Pine, western white; Redwood

Products Produced

Butcherblock/ cutting board; MDF (Medium Density Fiberboard); Particleboard; Plywood, hardwood; Plywood, softwood; Countertops; Dimension; Door/window cutstock; Doors; Door, frames; Dowels; Fences; Fixtures, custom; Flooring; Burls; Firewood; Lumber; Lumber, kiln-dried; Lumber, rough green; Lumber pressure treated; Lumber, quartersawn; Mantels, wood; Mouldings; Railing/ spindles; Panel, T&G (wainscot); Animal bedding; Carvings/ sculptures; Siding, log/ wood; Stairs, rails/ parts; Posts; Dry kilns, steam; Beams, sawn; Firelogs, firestarters; Decking

Residues

Firewood; Animal bedding; Kindling, bundled; Sawdust

Equipment

Moulder; Router; Lathe, turning; Sawmill, portable; Jointer; Dry kiln, dehumidification; Edger; Planer; Sander

Services

Cutting; Custom millwork; Custom sawing; Drying; Custom work; Moulding; Sanding; Planing

Pleasant Valley Lumber Co.

P.O. Box P.O. Box 1095

Merlin, OR 97532

541-218-4670

Contacts

Joe Kolkow, General Manager

P.O. Box 1095

Merlin, Oregon 97532

Cell: (541) 218-4670

Email: *pleasantvalleylumber at hotmail.com*

Species Used

Pine, blue-stained; Alder, Red; Maple, bigleaf (western); Oak, California black; Oak, Oregon white; Cedar, incense (pencil); Douglas-fir; Fir, white; Pine, ponderosa; Pine, sugar

Products Produced

Cants; Ties, railroad; Dimension; Cutstock; Fences; Flooring; Firewood; Logs; Lumber; Lumber, rough green; Lattice; Mantels, wood; Mouldings; Railing/ spindles; Panel, T&G (wainscot); Planters;

Poles; Animal bedding; Shingles/Shakes; Siding, log/ wood; Stakes; Timbers; Posts; Beams, sawn; Firelogs, firestarters; End coat, log or lumber; Decking

Products Purchased

Logs; Timbers, reclaimed

Residues

Firewood; Animal bedding; Kindling, bundled; Sawdust; Shavings

Equipment

Cutoff saws; Sawmill, portable; Dry kiln, dehumidification; Edger; Headsaw, band; Planer

Services

Cutting; Lumberyard; Custom millwork; Custom sawing; Drying; Custom work; Finishing; Delivery; Moulding; Planing; Grading, lumber (on-site); Log hauling

Swanson Group Mfg.LLC-Glendale Sawmill

2695 Glendale Valley Rd.

P.O. Box P.O Box 250

Glendale, OR 97442

541-832-1121

<http://www.swansongroupinc.com>

Contacts

Stan Martindale

P.O. Box 1168

Roseburg, Or 97470

Phone: 541-492-1107

Cell: 541-430-7809

Don Hardwick, VP-Resources

Cell: 541-659-3852

Stan Martindale

Log Buyers

Phone: 541-832-1250

Cell: 541-659-4457

Phone: 541-492-1107

Cell: 541-430-7809

Species Used

Douglas-fir; Hemlock, western

Products Produced

Ties, railroad; Lumber; Bark; Chips

Products Purchased

Logs

Residues

Bark; Chips; Sawdust; Shavings

Preferences

Minimum diameter: 5"

Maximum diameter: 20"

Diameter preference: 8"

Minimum length: 12'

Maximum length: 40'

Length preference: 36' & 40'

Annual production: 200,000