

Oregon Forest Industry Directory

Search resulted in 19 matches.

Bald Knob Veneer Company

33662 Park Avenue
P.O. Box P.O. Box 1029
Creswell, OR 97426
541-895-2151

Contacts

Brian Cowan, Manager
Phone: 541-895-2151

Mona Woods, Administrative Assistant
Phone: 541-895-2151
Email: *mwoods at baldknobveneer.com*

Log Buyers

Phone: 541-895-2151
Cell: 541-206-2752

Phone: 541-895-2151

Species Used

Douglas-fir; Fir, grand; Fir, white; Hemlock, western; Spruce, Sitka

Products Produced

Plywood, softwood; Veneer, softwood

Products Purchased

Logs

Preferences

Minimum diameter: 8'
Maximum diameter: 72'
Minimum length: 8"
Maximum length: 43"
Length preference: 34"

Big Logs

This company purchases logs larger than 30 inches in diameter.

Boise - Elgin

90 S 21 St.
Elgin, OR 97827-9614
541-437-2611
<http://www.bc.com>

Log Buyers

Phone: 541-962-2053
Cell: 541-786-1318

Species Used

Douglas-fir; Fir, grand; Fir, white; Hemlock, western; Larch, western (tamarack); Pine, lodgepole;
Pine, ponderosa; Pine, sugar; Pine, western white; Spruce, Engelmann; Spruce, Sitka

Products Produced

Plywood, softwood; Lumber, kiln-dried; Veneer, softwood

Products Purchased

Logs

Preferences

Minimum diameter: 6'
Maximum diameter: none
Diameter preference: none
Minimum length: 8"
Maximum length: 43"
Length preference: 43, peeler lengths

Big Logs

This company purchases logs larger than 30 inches in diameter.

Boise - Medford Plywood

3285 N. Pacific Highway
P.O. Box P.O. Box 100
Medford, OR 97501
541-776-6722
<http://www.bc.com>

Contacts

Log Buyers

Phone: 541-830-7903
Cell: 541-821-2505

Species Used

Douglas-fir; Fir, grand; Fir, white; Hemlock, western; Pine, lodgepole; Pine, ponderosa; Pine, sugar; Pine, western white; Spruce, Engelmann; Spruce, Sitka

Products Produced

Plywood, softwood

Products Purchased

Logs

Preferences

Minimum diameter: 6'
Maximum diameter: 46'
Minimum length: 14"
Maximum length: 43"
Length preference: 34"

Certifications

Sustainable Forestry Initiative (SFI)

Boise - White City Veneer & Plywood

1795 Antelope Road
White City, OR 97503
541-826-7833
<http://www.bc.com>

Contacts

Marty Oliverson

Ken Wienke, W.O. Wood Procurement Mgr.

Log Buyers

Phone: 541-830-7903
Cell: 541-821-2505

Phone: 541-830-7904
Cell: 541-821-2503

Species Used

Douglas-fir; Fir, white; Pine, lodgepole; Pine, ponderosa; Pine, sugar

Products Produced

Plywood, softwood; Veneer, softwood

Products Purchased

Logs

Preferences

Minimum diameter: 6'

Maximum diameter: 46'

Diameter preference: none

Minimum length: 17"

Maximum length: 43"

Length preference: 34"

Certifications

Sustainable Forestry Initiative (SFI)

Conrad Forest Products (North Bend)

68765 Wildwood Drive

North Bend, OR 97459

541-756-2595

www.conradfp.com

Contacts

Darrell Smith, Vice President

68765 Wildwood Drive

North Bend, OR 97459

Phone: 800-356-7146

Jeff Locke, Marketing Representative

4195 Chino Hills Pkwy PMB#422

Chino Hills, CA 91709

Phone: 909-393-7107

Email: *jeff.locke3 at verizon.net*

Products Produced

Plywood, softwood; Lumber; Lumber, kiln-dried; LVL (Laminated Veneer Lumber); Lumber, rough green; Lumber pressure treated; Lattice; Railing/ spindles; Poles; Timbers; Timbers, landscape; Posts

Products Purchased

Lumber, green; Lumber, dry; Plywood, softwood; LVL (laminated veneer lumber)

Equipment

Treating cylinder

Services

Lumberyard; Delivery; Treating

Conrad Forest Products (Rainier)

29175 Dike Rd
Rainier, OR 97048-2212
800-356-7146
www.conradfp.com

Contacts

Darrell Smith, Vice President
68765 Wildwood Road
North Bend, OR 97459
Phone: 800-356-7146
Email: *drs at conradfp.com*

Products Produced

Plywood, softwood; Dimension; Furniture, outdoor; Lumber; Lumber, kiln-dried; LVL (Laminated Veneer Lumber); Lumber, rough green; Lumber pressure treated; Lattice; Railing/ spindles; Poles; Stakes; Timbers; Timbers, landscape; Posts

Products Purchased

Lumber, green; Lumber, dry; Plywood, softwood; LVL (laminated veneer lumber)

Equipment

Treating cylinder

Services

Lumberyard; Drying; Delivery; Treating

Edensaw Woods Ltd

211 Seton Road
Port Townsend, WA 98368
360 385 7878
www.edensaw.com

Contacts

Charlie Moore
Phone: 360 385 7878
Cell: 360 301 1602
Email: *charlie at edensaw.com*

Products Produced

MDF (Medium Density Fiberboard); Plywood, hardwood; Plywood, softwood; Flooring; Lumber; Lumber, kiln-dried; Lumber, rough green; Lumber, quartersawn; Paneling; Panel, T&G (wainscot); Timbers; Veneer, hardwood; Veneer, softwood; Timbers, reclaimed

Products Purchased

Lumber, green; Lumber, dry; Plywood, hardwood; Plywood, softwood; Laminate; Veneer; Formica; Treated lumber; MDF; Burls; Timbers, reclaimed

Residues

Sawdust; Shavings

Services

Cutting; Lumberyard; Custom millwork; Custom sawing; Veneer layup; Delivery; Marketing; Moulding; Ripping; Sanding; Planing; Broker

Certifications

Forest Stewardship Council (FSC)

Edensaw Woods Ltd 2

8032 S. 194th Street

Kent, WA 98032

253 216 1150

www.edensaw.com

Species Used

Walnut, English; Alder, Red; Ash, Oregon; Ash, white; Birch, white; Walnut, black; Cherry; Cottonwood; Maple, bigleaf (western); Maple, hard; Maple, soft; Myrtlewood, Oregon; Oak, Oregon white; Oak, red; Oak, white (eastern U.S.); Madrone, Pacific; Yew, Pacific; Poplar, yellow (tulip); Exotic Hardwood; Cedar, Alaska yellow; Cedar, western red; Cedar, Port-Orford; Douglas-fir; Pine, ponderosa; Pine, s. yellow; Pine, sugar; Redwood; Spruce, Sitka

Products Produced

Butcherblock/ cutting board; MDF (Medium Density Fiberboard); Plywood, hardwood; Plywood, softwood; Doors; Flooring; Burls; Lumber; Lumber, kiln-dried; Lumber, rough green; Lumber, quartersawn; Timbers; Veneer, hardwood; Veneer, softwood

Products Purchased

Logs; Lumber, green; Lumber, dry; Particleboard; Plywood, hardwood; Plywood, softwood; Laminate; Veneer; Formica; MDF; Burls; Timbers, reclaimed

Equipment

Moulder; Panel saw; Resaw, linebar; Sander; Ripsaw

Services

Cutting; Lumberyard; Custom millwork; Veneer layup; Delivery; Marketing; Moulding; Ripping; Sanding; Planing

Certifications

Forest Stewardship Council (FSC)

Freres Lumber Co.

141 14th St.

P.O. Box P.O. Box 276

Lyons, OR 97385

(503) 859-2111

<http://www.frereslumber.com>

Contacts

Andy Heuberger, Timber Manager

Phone: (503) 859-2111

Cell: (503) 931-4817

Todd Parker, Forester

Phone: (503) 859-2111

Cell: (503) 931-0092

Log Buyers

Phone: (503) 859-2111

Cell: (503) 931-4817

Species Used

Douglas-fir; Fir, grand; Fir, white; Hemlock, western

Products Produced

Plywood, softwood; Chips; Logs, for veneer; Veneer, softwood

Products Purchased

Logs; Veneer

Residues

Bark; Chips; Fuel; Sawdust; Shavings

Preferences

Minimum diameter: 5"

Maximum diameter: 62"

Diameter preference: 6" +

Minimum length: 12'11"

Maximum length: 34'11"

Length preference: 34'11"

Certifications

American Tree Farm System (ATFS)

Big Logs

This company purchases logs larger than 30 inches in diameter.

Oakland Wood Products

132 NE First Street

Oakland, OR 97462

541-459-2581

www.oaklandwoodproducts.com

Contacts

Amy Smith

Jane Knowlton

Phone: 541-459-2581

Email: *oaklandwoodproducts at yahoo.com*

Log Buyers

Phone: 541-459-2581

Species Used

Alder, Red; Walnut, black; Cherry; Maple, bigleaf (western); Maple, hard; Myrtlewood, Oregon; Oak, California black; Oak, Oregon white; Oak, red; Madrone, Pacific; Poplar, yellow (tulip); Exotic Hardwood; Douglas-fir; Fir, grand; Pine, ponderosa; Pine, western white; Redwood

Products Produced

Butcherblock/ cutting board; MDF (Medium Density Fiberboard); Particleboard; Plywood, hardwood; Plywood, softwood; Countertops; Dimension; Door/window cutstock; Doors; Door, frames; Dowels; Fences; Fixtures, custom; Flooring; Burls; Firewood; Lumber; Lumber, kiln-dried; Lumber, rough green; Lumber pressure treated; Lumber, quartersawn; Mantels, wood; Mouldings; Railing/ spindles; Panel, T&G (wainscot); Animal bedding; Carvings/ sculptures; Siding, log/ wood; Stairs, rails/ parts; Posts; Dry kilns, steam; Beams, sawn; Firelogs, firestarters; Decking

Residues

Firewood; Animal bedding; Kindling, bundled; Sawdust

Equipment

Moulder; Router; Lathe, turning; Sawmill, portable; Jointer; Dry kiln, dehumidification; Edger; Planer; Sander

Services

Cutting; Custom millwork; Custom sawing; Drying; Custom work; Moulding; Sanding; Planing

Plywood Components

6523 NE Old Salem RD

Albany, OR 97321

541-928-1691

plywoodcomponents.com

Contacts

Stan Andrews

Email: *sea at plywoodcomponents.com*

Products Produced

Boxes, wood containers; Plywood, softwood; Pallet cutstock

Products Purchased

OSB; Particleboard; Plywood, softwood; MDF

Services

Cutting; Custom sawing; Custom work; Finger-jointing; Ripping; Remanufacturing

Roseburg Forest Products - Dillard

P.O. Box P.O. Box 1088

Roseburg, OR 97470

541-679-3311

<http://www.rfpco.com/>

Contacts

Allyn Ford, Manager

Phone: 541-679-3311

Log Buyers

Phone: 541-679-3327

Cell: 541-430-8635

Species Used

Douglas-fir; Fir, grand; Fir, white; Hemlock, western; Pine, lodgepole; Pine, ponderosa; Pine, sugar; Pine, western white; Spruce, Engelmann; Spruce, Sitka

Products Produced

Particleboard; Plywood, softwood; Lumber; Veneer, softwood

Products Purchased

Logs

Preferences

Minimum diameter: 5'

Maximum diameter: 30'

Minimum length: 17"

Maximum length: 34"

Length preference: 34"

Swanson Group Mfg.LLC- Springfield Veneer & Plywood

1651 South F Street

Springfield, OR 97477

541-762-3300

alan.humphrey@swansongroup.biz

Contacts

Stan Martindale
P.O. Box 1168
Roseburg,OR 97470
Phone: 541-492-1107
Cell: 541-430-7809

Don Hardwick, VP-Resources
Cell: 541-659-3852
Email: *don.hardwick at swansongroup.biz*

Log Buyers

Phone: 541-935-4821
Cell: 541-953-0150

Phone: 541-935-4841
Cell: 541-913-0442

Phone: 541-492-1107
Cell: 541-430-7809

Species Used

Douglas-fir; Fir, grand; Fir, noble; Fir, white; Hemlock, western; Pine, ponderosa; Spruce, Engelmann; Spruce, Sitka

Products Produced

Plywood, softwood; Bark; Chips; Veneer, softwood

Products Purchased

Logs; Veneer

Residues

Bark; Chips

Equipment

Cutoff saws; Chipper; Debarker; Sander; Lathe, veneer; Clipper, veneer

Preferences

Minimum diameter: 9"
Maximum diameter: 28"
Diameter preference: 12"-20"
Minimum length: 17'
Maximum length: 34'
Length preference: 34'
Annual production: 120,000

Swanson Group Mfg.LLC-Glendale Veneer & Plywood

P.O. Box 250 (2695 Glendale Valley Rd.)
Glendale, OR 97442
541-832-1121
<http://www.swansongroupinc.com>

Contacts

Stan Martindale

Don Hardwick, VP-Resources
Cell: 541-659-3852

Stan Martindale

Log Buyers

Phone: 541-832-1250
Cell: 541-659-4457

Phone: 541-492-1107
Cell: 541-430-7809

Species Used

Douglas-fir; Fir, grand; Fir, noble; Fir, white; Hemlock, western; Pine, ponderosa; Pine, sugar; Spruce, Sitka

Products Produced

Plywood, softwood; Bark; Chips; Veneer, softwood

Products Purchased

Logs; Veneer

Residues

Bark; Chips

Equipment

Press, hot; Cutoff saws; Chipper; Debarker; Sander; Lathe, veneer; Clipper, veneer

Preferences

Minimum diameter: 6"
Maximum diameter: 58"
Diameter preference: 12"
Minimum length: 17'
Maximum length: 34'
Length preference: 34'
Annual production: 240,000

Unique Woods Inc.

8300 13th St.
White City, OR 97503
541-826-3331

Contacts

Chris Rupert

Products Produced

Plywood, softwood

Waldron Forest Products Inc

300 Vannoy Creek Rd.
Grants Pass, OR 97526
541-474-3080
<http://www.waldronforest.com>

Contacts

Mike Palmer
Email: *lmbrman_merlin at yahoo.com*

Species Used

Pine, blue-stained; Cedar, Alaska yellow; Cedar, western red; Cedar, incense (pencil); Cedar, Port-Orford; Douglas-fir; Fir, white; Hemlock, western; Pine, lodgepole; Pine, ponderosa; Pine, s. yellow; Pine, sugar; Redwood; Pine, radiata

Products Produced

Beams, laminated; Particleboard; Plywood, softwood; Lumber; Lumber, kiln-dried; Lumber, rough green; Lumber pressure treated; Lumber, quartersawn; Architectural millwork; Mouldings; Paneling; Panel, T&G (wainscot); Siding, log/ wood; Timbers; Timbers, landscape; Posts; Beams, sawn

Services

Laminating; Machining; Custom millwork; Custom sawing; Drying; Custom woodworking; Delivery; Moulding; Ripping; Planing; Broker; Exporting; Remanufacturing

Weyerhaeuser - Foster Plywood

P.O. Box P.O. Box 129
Sweet Home, OR 97386
541-258-2115
<http://www.weyerhaeuser.com>

Log Buyers

Phone: 541-741-5294
Cell: 541-520-8169

Species Used

Douglas-fir; Hemlock, western

Products Produced

Plywood, softwood; Veneer, softwood

Products Purchased

Logs

Preferences

Minimum diameter: 5" DF, 12" whitewoods

Maximum diameter: 30"

Minimum length: 17"

Maximum length: 34"

Length preference: 34"

Certifications

Sustainable Forestry Initiative (SFI)

Weyerhaeuser - Springfield Plywood

P.O. Box P.O. Box 275

Springfield, OR 97477

541-926-7771

<http://www.weyerhaeuser.com>

Log Buyers

Phone: 541-741-5294

Cell: 541-520-8169

Species Used

Douglas-fir; Fir, grand; Hemlock, western

Products Produced

Plywood, softwood; Veneer, softwood

Products Purchased

Logs

Preferences

Minimum diameter: 10"

Maximum diameter: 42"

Diameter preference: > 10"

Minimum length: 17"

Maximum length: 34"
Length preference: 34"

Certifications

Sustainable Forestry Initiative (SFI)

Big Logs

This company purchases logs larger than 30 inches in diameter.

Wood Products Directory

2010 E. Evergreen Blvd.
Vancouver, WA 98551
360.695.1500
www.wpd2000.com

Contacts

John McVeety
Email: *marie at wpd2000.com*

Species Used

Alder, Red; Fir, white; Hemlock, western

Products Produced

I-Beams; Trusses; Hardboard; Plywood, softwood; Fences; Logs, for log homes; Lumber; Lumber, kiln-dried; LVL (Laminated Veneer Lumber); Lumber, pallet; Lumber, rough green; Shingles/Shakes; Timbers, landscape; Veneer, hardwood; Logs, for veneer; Veneer, softwood; Dry kilns, steam; Timbers, reclaimed; Lam stock; Decking

Residues

Sawdust; Shavings

Equipment

Press, cold; Press, hot; Router; Shaper; Shingle mill; Shredder, wood; Lathe, turning; Edge bander; Router, CNC; Cutoff saws; Panel saw; Sawmill, portable; Chipper; Debarker; Dry kiln, steam; Dry kiln, dehumidification; Edger; Edger, optimizing; Extruder (wood-plastic); Fingerjointer; Glue spreader; Headsaw, band; Headsaw, circle; Headsaw, scragg; Post/ pole peeler; Planer; Resaw, band; Resaw, circle; Resaw, gang; Resaw, linebar; Sander; Ripsaw; End trimmer; Lathe, veneer; Clipper, veneer; Firewood processor; Dry kiln, direct-fired; Edge-gluer; Doweling machine

Preferences

Minimum diameter: none
Maximum diameter: none
Diameter preference: none
Minimum length: none
Maximum length: none
Length preference: none